



**Guangdong Gose Kitchen and Bathroom Ware Co., Ltd**

**Mobile:** +86 13670498912

**Email:** emma.lu@gosewc.com

**Web:** www.gosewc.com

**Add:** No. 9 Lincuo Yuan Industrial Area, Fuqing Village, Guxiang Town, Chao'an District, Chaozhou City, Guangdong Province, China



Official Accounts



Wechat



WhatsApp



## E5 Intelligent Toilet

Colour:	White
Size:	680x390x460mm
S-trap:	305mm
Rating:	AC110V,60Hz
Water pressure:	≥ 0.75Mpa (static pressure)
Protection sign:	IPX4
Flushing method:	Siphon
Heated mode:	Instant heating

### Configurations

**E:** Auto open + built-in water tank


Optional: Bubble+Built-in toilet cleaner

Optional: Voice control

### Certification



### Dimension drawing (size:mm)



### Basic Functions

- Foot touch flushing
- Off-seated flushing
- Seat ring heating
- Night lighting
- LED display screen
- Hip cleaning
- Female cleaning
- Mobile cleaning
- Warm air drying

### Specific Functions

- High-speed warm air drying (fixed)
- Spray wand UV sterilization
- Built-in perfume
- Massage cleaning



#### Built in bubble function

Bubble liquid evenly cover the entire surface of the toilet,Provides better splash, odor, and lubrication



#### Built-in perfume

Releases the aromatic fragrance, alleviates the residual odor from continuous use by multiple users, prevents awkward moments



#### Spray wand UV sterilization

After the toilet is closed, the spray wand automatically extends to sterilize itself



#### Built-in toilet cleaner

Effectively maintains toilet and tank cleanliness like new, minimizing stain residue. Each flush delivers a thorough cleaning



## E6 Intelligent Toilet

Colour:	White
Size:	680x410x450mm
S-trap:	305mm
Rating:	AC110V,60Hz
Water pressure:	≥ 0.75Mpa (static pressure)
Protection sign:	IPX4
Flushing method:	Siphon
Heated mode:	Instant heating

### Configurations


E: Radar sensor + Foot sensing flipping + Auto flush when closed

Optional: Built in bubble + AI Voice control

### Certification



### Dimension drawing (size:mm)



### Basic Functions

- Off-seated flushing
- Foot sensing flushing
- Hip cleaning
- Female cleaning
- Moving cleaning
- High display screen
- Night light
- Warm air drying
- Air temperature regulation
- Seat temperature regulation
- IPX4 waterproof

### Specific Functions

- UV sterilization
- Smart temperature
- Built in filtration
- Perfume



### Tech-sense Ambient Light

Add a touch of romance,  
Make the atmosphere perfect



### Built in bubble function

Bubble liquid evenly cover the entire surface of the toilet,Provides better splash, odor, and lubrication



### Automatic sensing

When you approach to the toilet, the cover will open automatically; When you leave, it will flush automatically and close the cover softly .



### Foot touch sensing

Foot touch open the seat ring for men use, resist urine splashing  
Antibacterial and splash proof, no need to bend over, free hands.



## Y1 Intelligent Toilet

Colour:	White
Size:	720x455x510mm
S-trap:	305mm
Rating:	AC110V,60Hz
Water pressure:	≥ 0.75Mpa(static pressure)
Protection sign:	IPX4
Flushing method:	Siphon
Heated mode:	Instant heating

### Configurations

**E:** Auto open + built-in water tank


Optional: Bubble

Optional: Voice control

### Certification



### Dimension drawing (size:mm)



### Basic Functions

- Foot touch flushing
- Off-seated flushing
- Seat ring heating
- Night lighting
- LED display screen
- Hip cleaning
- Female cleaning
- Mobile cleaning
- Warm air drying

### Specific Functions

- Massage cleaning
- Child cleaning
- Cleaning range can be adjusted
- Spray wand UV sterilization
- UV water sterilization
- Vertical lift cover
- Smart flushing
- Smart temperature
- Built-in perfume
- Doorbell control




### One button vertical lift cover

Just need to press the button in the center of screen, the cover will vertical lift, easy to handle and clean



### UV Water sterilization

UV sterilization ensures long-lasting purification, making every drop of water skin-friendly and clean. Using filtered water brings more peace of mind



### Massage cleaning

Stimulating and massaging through changes in water pressure makes it easier for users to defecate



### Cleaning range can be adjusted

Increase the cleaning space, no need to clean repeatedly, with softness and strength, temperature, intensity, different gears regulation.



## Y2 Intelligent Toilet

Colour:	White
Size:	720x455x510mm
S-trap:	305mm
Rating:	AC110V,60Hz
Water pressure:	>0.75Mpa(static pressure)
Protection sign:	IPX4
Flushing method:	Siphon
Heated mode:	Instant heating

### Configurations

E: Auto open + built-in water tank


Optional: Bubble

Optional: Voice control

### Certification



### Dimension drawing (size:mm)



### Basic Functions

Foot touch flushing  
 Off-seated flushing  
 Seat ring heating  
 Night lighting  
 LED display screen  
 Hip cleaning  
 Female cleaning  
 Mobile cleaning  
 Warm air drying

### Specific Functions

Massage cleaning  
 Child cleaning  
 Cleaning range can be adjusted  
 Spray wand UV sterilization  
 UV water sterilization  
 Vertical lift cover  
 Smart flushing  
 Smart temperature  
 Built-in perfume  
 2 User memory  
 Doorbell control



#### One button vertical lift cover

Just need to press the button in the center of screen, the cover will vertical lift, easy to handle and clean



#### Cleaning range can be adjusted

Increase the cleaning space, no need to clean repeatedly, with softness and strength, temperature, intensity, different gears regulation.



#### UV Water sterilization

UV sterilization ensures long-lasting purification, making every drop of water skin-friendly and clean. Using filtered water brings more peace of mind.



#### 2 User memory

help user to set the data into system



- Beige
- Pink
- Yellow
- Black
- Blue

## 964 Intelligent Toilet

Colour: White  
 Size: 700x430x525mm  
 S-trap: 305mm  
 P-trap: 180mm  
 Rating: AC110V,60Hz  
 Water pressure:  $\geq 0.75$ Mpa (static pressure)  
 Protection sign: IPX4  
 Flushing method: Siphon  
 Heated mode: Instant heating

### Configurations


- A:** Manual open
- B:** Auto open
- D:** Manual open + built-in water tank
- E:** Auto open + built-in water tank

Optional: Bubble  
 Optional: Voice control

### Certification



### Dimension drawing (size:mm)



### Basic Functions

Foot sensing flushing  
 Off-seated flushing  
 Seat ring heating  
 Night lighting  
 LED display screen  
 Hip cleaning  
 Female cleaning  
 Mobile cleaning  
 Warm air drying


### Specific Functions

Massage cleaning  
 Menstrual care cleaning  
 Child cleaning  
 Spray wand UV sterilization  
 Plasma sterilization  
 Anti-scaling of water tank  
 Anti-scaling of cleaning water  
 Smart flushing  
 Smart temperature  
 Doorbell control



### Automatic opening

Automatic opening when people are close to the toilet.  
 No need to bend over and open the cover by hand



### Spray wand sterilization

After the toilet cover is closed, the spray wand automatically extends to sterilize itself



### HD LED Screen display

Circular arc display, high-definition digital display, real-time observation function



## 956 Intelligent Toilet

Colour:	White
Size:	700x430x525mm
S-trap:	305mm
P-trap:	180mm
Rating:	AC110V,60Hz
Water pressure:	≥ 0.75Mpa (static pressure)
Protection sign:	IPX4
Flushing method:	Siphon
Heated mode:	Instant heating

### Configurations

**E:**Auto open + built-in water tank


Optional: Bubble

Optional: Voice control

### Certification



### Dimension drawing (size:mm)



### Basic Functions

Foot sensing flushing  
Off-seated flushing  
Seat ring heating  
Night lighting  
LED display screen  
Hip cleaning  
Female cleaning  
Mobile cleaning  
Warm air drying

### Specific Functions

Child cleaning  
Cover lamp UV sterilization  
Parent-child seats  
User memory



Child Seat

Adult Seat

### Dual toilet seat

The dual toilet seat (adult & child seat), the child seat is easily detachable, making it family-friendly for household use.



### 2 Users memory

- Custom 1  
Touch to start a custom Rear wash. Touch and hold for 5s to save the current set parameters(Water Pressure|Nozzle Position|Water Temp)
- Custom 2  
Touch to start a custom Front wash. Touch and hold for 5s to save the current set parameters(Water Pressure|Nozzle Position|Water Temp)
- Kids mode  
Touch and hold for 5s to enter or exit "Kids Mode" Then touch to start cleaning of child in the Kids Mode.



### Cover lamp UV sterilization

Ultraviolet light produces ozone through the ionization of oxygen in the air to strengthen the bactericidal effect



## 945 Intelligent Toilet

Colour:	White
Size:	700x430x525mm
S-trap:	200/250/300mm
P-trap:	180mm
Rating:	AC 110V/220V,50Hz/60Hz
Water pressure:	≥ 0.75Mpa (static pressure)
Protection sign:	IPX4
Flushing method:	Siphon
Heated mode:	Instant heating

### Configurations


- A:** Manual open
- B:** Auto open
- D:** Manual open + built-in water tank
- E:** Auto open + built-in water tank

- Optional: Bubble
- Optional: Voice control

### Certification



### Dimension drawing (size:mm)



### Basic Functions

- Foot sensing flushing
- Off-seated flushing
- Seat ring heating
- Night lighting
- LED display screen
- Hip cleaning
- Female cleaning
- Mobile cleaning
- Warm air drying



#### LED display

LED display Displays the running status of each function



#### Multi knob

Dynamic extension type atmosphere lamp design Strong sense of science and technology



#### Foot sensing

When people approach the toilet, the cover will be automatically open , and the seat will be open by foot sensing. You can switch the cover opening mode to foot sensing



## ST9 With water tank



Seat Ring Heating



Auto Opening



Foot Sensor Opening



Foot Sensor Flushing



Pre-wash



Off-seat Auto Flushing



Self-cleaning Nozzle



Posterior Cleaning



Female Cleaning



Massage



Build-in Tank



Auto Deodorization



Warm Air Dryer



Adjustable temperature  
Adjustable water pressure



Remote Control



Waterproof IPX4



LED Display



Night Light

Dimension : L695xW390xH495mm

Rough-in : S-trap 300mm




Rated voltage : 120V

Heating mode : Instant heating

Flushing mode : Siphon, tornado flush

Water consumption : 4.8lpf/1.28gpf

Floor standing toilet





## STM-V6 With water tank



Seat Ring Heating



Auto Opening



Foot-touch Opening



Foot-touch Flushing



Pre-wash



Off-seat Auto Flushing



Self-cleaning Nozzle



Posterior Cleaning



Female Cleaning



Massage



Build-in Tank



Auto Deodorization



Warm Air Dryer



Adjustable temperature  
Adjustable water pressure



Remote Control



Waterproof IPX4



LED Display



Night Light

Dimension : L705xW435xH475mm

Rough-in : S-trap 300mm


Rated voltage : 120V

Heating mode : Instant heating

Flushing mode : Siphon, tornado flush

Water consumption : 4.8lpf/1.28gpf

Floor standing toilet





## STM-V9 With water tank



Seat Ring Heating



Auto Opening



Foot-touch Opening



Foot-touch Flushing



Pre-wash



Off-seat Auto Flushing



Self-cleaning Nozzle



Posterior Cleaning



Female Cleaning



Massage



Build-in Tank



Auto Deodorization



Warm Air Dryer



Adjustable temperature  
Adjustable water pressure



Remote Control



Waterproof IPX4



LED Display



Night Light

Dimension : L705xW445xH480mm

Rough-in : S-trap 300mm


Rated voltage : 120V

Heating mode : Instant heating

Flushing mode : Siphon, tornado flush

Water consumption : 4.8lpf/1.28gpf

Floor standing toilet





# STM993 Water tank is optional



Seat Ring Heating



Auto Opening



Foot Sensor Opening



Foot Sensor Flushing



Pre-wash



Off-seat Auto Flushing



Self-cleaning Nozzle



Posterior Cleaning



Female Cleaning



Massage



Build-in Tank



Auto Deodorization



Warm Air Dryer



Adjustable temperature  
Adjustable water pressure



Remote Control



Waterproof IPX4



LED Display



Night Light

Dimension : L680xW397xH441mm

Rough-in : S-trap 300mm



Rated voltage : 120V

Heating mode : Instant heating

Flushing mode : Siphon, tornado flush

Water consumption : 4.8lpf/1.28gpf

Floor standing toilet





# STM952 With water tank



Seat Ring Heating



Auto Opening



Foot Sensor Opening



Foot Sensor Flushing



Pre-wash



Off-seat Auto Flushing



Self-cleaning Nozzle



Posterior Cleaning



Female Cleaning



Massage



Build-in Tank



Auto Deodorization



Warm Air Dryer



Adjustable temperature  
Adjustable water pressure



Remote Control



Waterproof IPX4



LED Display



Night Light

Dimension : L700xW400xH480mm

Rough-in : S-trap 300mm

Rated voltage : 120V

Heating mode : Instant heating

Flushing mode : Siphon, tornado flush

Water consumption : 4.8lpf/1.28gpf

Floor standing toilet

